

- Abbott, D. W., Wise, M. A., & Wise, J. A. (1999). Underpinning of system evaluation. In D. J. Garland, J. A. Wise & V. D. Hopkin (Eds.), *Handbook of aviation human factors*. Mahwah, NJ: Lawrence Erlbaum.
- Adam, G. L. (1995). *Human factors considerations for TCAS II resolution advisory displays and aural annunciations* (MTR 95W0000007). McLean, VA: MITRE CAASD.
- Federal Aviation Administration (1988). *TSO-C118, Traffic Alert and Collision Avoidance System (TCAS) Airborne Equipment, TCAS I* (No. TSO-C118). Washington, DC: Department of Transportation, Federal Aviation Administration.
- Federal Aviation Administration (1990). *Introduction to TCAS II*. Washington, DC: DOT/FAA.
- Federal Aviation Administration (1993). *Airworthiness approval of traffic alert and collision avoidance systems (TCAS II) and mode S transponders*. (No. AC 20-131A). Washington, DC: US Department of Transportation, Federal Aviation Administration.
- Federal Aviation Administration (1998). *TSO-C147, Traffic Advisory System (TAS) Airborne Equipment* (No. TSO-C147). Washington, DC: Department of Transportation, Federal Aviation Administration.
- Federal Aviation Administration (1998). *TSO-C119b, Traffic Alert and Collision Avoidance System (TCAS) Airborne Equipment, TCAS II* (No. TSO-C119b). Washington, DC: Department of Transportation, Federal Aviation Administration.
- Federal Aviation Administration (2001). *Air carrier operational aproval and use of TCAS II* (No. AC 120-55B). Washington, DC: US Department of Transportation, Federal Aviation Administration.
- Alexander, A. L., & Wickens, C. D. (2001). *Cockpit display of traffic information: The effects of traffic load, dimensionality, and vertical profile orientation*. Paper presented at the Proceedings of the Human Factors and Ergonomics Society 45th Annual Meeting.
- ARINC (1995). *Traffic alert and collision avoidance system (TCAS II) display and aural annunciations evaluation; Phase II: Simulator data collection plan*. Annapolis, MD: ARINC, Inc.
- Battiste, V., & Johnson, W. W. (1998). *Development of cockpit situation display for free-flight*. Paper presented at the World Aviation Conference, Anaheim, CA.
- Battiste, V., Ashford, R., & Olmos, B. O. (2000). *Initial evaluation of CDTI/ADS-B for commercial carriers: CAA's Ohio Valley operational evaluation*. (No. AIAA 2000-01-5520). Society of Automotive Engineers, Inc.
- Battiste, V., Ashford, R., & Olmos, B. O. (2000). *Initial Evaluation of Cdti/Ads-B for Commercial Carriers: Caas Ohio Valley Operational Evaluation* (No. SAE Technical Paper 2000-01-5520). Society of Automotive Engineers.
- Battiste, V., Johnson, W. W., & Bochow, S. H. (2000). *Enabling strategic flight deck route re-planning within a modified ATC environment: The display of 4-D intent information on CSD* (No. AIAA 2000-01-5573). AIAA.
- Battiste, V., & Johnson, W. W. (2002). *An operational evaluation of ADS-B and CDTI during airport surfacer and final approach operations*. Proceedings of the Human Factors and Ergonomics Society 45th Annual Meeting. Santa Monica, CA: HFES
- Bliss, J. P., Gilson, R. D., & Deaton, J. E. (1995). Human probability matching behaviour in response to alarms of varying reliability. *Ergonomics*, 38(11), 2300-2312.
- Bliss, J. P., Freeland, M. J., & Millard, J. C. (1999). *Alarm related incidents in aviation: A survey of the aviation safety reporting system database*. Proceedings of the Human Factors and Ergonomics Society 43rd Annual Meeting. Santa Monica, CA: HFES
- Bliss, J. P. (2003). An investigation of alarm related incidents in aviation. *International Journal of Aviation Psychology*, 13(3).
- National Transportation Safety Board, N. T. S. (1993). *Safety Recommendation A-93-46 through -48*. Washington, DC: NTSB.
- Bouceck, J., G. P., Veitengruber, J. E., & Smith, W. D. (1977). *Aircraft alerting systems criteria study; Volume II: Human factors guidelines for aircraft alerting systems* (No. FAA-RD-76-222, II). Washington, DC: FAA.
- Bouceck, J., G. P., Erickson, J. B., Berson, B. L., Hanson, D. C., Leffler, M. F., & Po-Chedley, D. A. (1980). *Aircraft alerting system standardization study Phase I final report*. (No. FAA-RD-80-68). Washington, DC: FAA.
- Cashion, P. A., & Lozito, S. The effects of different levels of intent information on pilot self separation performance.
- Eurocontrol Experimental Centre (1997). *PHARE: Highly interactive problem solver verson 4 API*

- definitions.* Retrieved July 15, 2003, from
<http://www.eurocontrol.fr/public/reports/eecnotes/1997/not12-97.pdf>
- Chappell, S. L., Scott, B. C., & Billings, C. E. (1987). *Information transfer in pilots' use of a collision avoidance system*. Proceedings of the Human Factors Society 31st Annual Meeting. Santa Monica, CA: HFES.
- Chappell, S. L., Billings, C. E., Scott, B. C., Tuttell, M., Olsen, C., & Kozon, T. E. (1989). *Pilots' use of a traffic alert and collision-avoidance system (TCAS II) in simulated air carrier operations. Volume I: Methodology, summary, and conclusions* (No. NASA TM 100094). Moffett Field, CA: NASA Ames Research Center.
- Chappell, S. L. (1990). *Human factors research for TCAS*. Proceedings of the Royal Aeronautical Society Conference on Traffic Alert and Collision Avoidance System (TCAS)-Its Development, Testing, Installation, and Operational Use.
- Chappell, S. L. (1991). Pilot performance research for TCAS. *SAE Transactions*, 99(1), 2408-2425.
- Chappell, S. L. (1998). *Certification of usability: A process for creating a human-centered system*. Paper presented at the Proceedings of the 1998 17th AIAA/IEEE/SAE Digital Avionics Systems Conference, DASC.
- Ciemier, C. E., Gambarani, G. P., Sheridan, E. H., Stangle, S. A., Stead, R. P., & Tillotson, D. H. (1993). *Results of the TCAS II transition program: Draft second interim report*. Annapolis, MD: ARINC Research Corporation.
- Cipelak, J. J., Hahn, E., & Olmos, B. O. (2000, June 13-16, 2000). *Safe Flight 21: The 1999 operational evaluation of ADS-B applications*. Paper presented at the 3rd USA/Europe Air Traffic Management R&D Seminar, Napoli, Italy.
- Comerford, D., & Uhlarik, J. (2001). *The arc-size illusion as applied to planar displays of aircraft traffic information*. Proceedings if the Human Factors and Ergonomics Society 45th Annual Meeting. Santa Monica, CA: HFES.
- Corcoran, D. W., Dennett, J. L., & Carpenter, A. (1970). Cooperation of listener and computer in a recognition task: Effects of listener reliability. *Journal of the Acoustical Society of America*, 47(2, Pt. 2), 480-488.
- Corcoran, D. W., Dennett, J. L., & Carpenter, A. (1972). Cooperation of listener and computer in a recognition task: II. Effects of computer reliability and "dependent" versus "independent" conditions. *Journal of the Acoustical Society of America*, 52(6, Pt. 2).
- DiMeo, K., Kopardekar, P., Ashford, R., Lozito, S., & Macintosh, M.-A. (2001). *Shared-separation: Empirical results and theoretical implications* (No. ATM 2001-10-24b). Moffett Field, CA: NASA Ames Research Center.
- Dowek, G., Munoz, C., & Gesr, A. (2001). *Tactical conflict detection and resolution in a 3-D airspace* (No. NASA/CR-2001-210853, ICASE Report No. 2001-7). Hampton, VA: NASA Langley Research Center.
- Endsley, M. R., & Kaber, D. B. (1999). Level of automation effects on performance, situation awareness and workload in a dynamic control task. *Ergonomics*, 42(3), 462-492.
- Feldman, E., & Weitzman, D. O. (1999). The false alert problem in automated conflict detection: Crying wolf too often. *Journal of Air Traffic Control*, 41(2), 51-55.
- Flavin, J. M. (1996). *System level requirements for the field evaluation of TCAS RA downlink in the ARTS IIIA* (No. ATC Project Memorandum 42PM-TCAS-0067). Lexington, MA: Massachusetts Institute of Technology Lincoln Laboratory.
- Gambarani, G., & Tillotson, D. (1990). *TCAS transition program (TTP) project management plan* (No. 08639-01-90-SD-ANN-0078). Annapolis, MD: ARINC, Inc.
- Gambarani, G., Stangle, S. A., & Tillotson, D. (1991). *Results of the TCAS II transition program (TTP): Interim report*. (No. 08639-01-91-SD-ANN-0081). Annapolis, MD: ARINC, Inc.
- Getty, D. J., Swets, J. A., Pickett, R. M., & Gonthier, D. (1995). System operator response to warnings of danger: A laboratory investigation of the effects of the predictive value of a warning on human response time. *Journal of Experimental Psychology: Applied*, 1(1), 19-33.
- Hanson, J., E. R. T. (1992). An airline pilot's views on TCAS. *Journal of Air Traffic Control*, 15-16.
- Hoffman, R. B., Kaye, R. D., Sacher, B. H., & Carlson, L. S. (1995). *TCAS II resolution advisory downlink evaluation report* (MTR 95W0000080). McLean, VA: MITRE CAASD.
- Hopkin, V. D. (1994). Optimizing human factors contributions. In J. A. Wise, V. D. Hopkin & D. J. Garland (Eds.), *Human factors certification of advanced aviation technologies* (pp. 3-8). Daytona

- Beach, FL: Embry-Riddle Aeronautical University Press.
- Irvine, R. (1998). *The GEARS conflict resolution algorithm* (AIAA-98-4236): AIAA.
- Irvine, R. (2001). *A geometrical approach to conflict probability estimation*. Paper presented at the 4th USA/Europe Air Traffic Management R&D Seminar, Santa Fe, USA.
- Johnson, W. W., Battiste, V., Delzell, S., Holland, S., Belcher, S., & Jordan, K. (1997). *Development and demonstration of a prototype free flight cockpit display of traffic information*. Paper presented at the World Aviation Conference.
- Johnson, W. W., Battiste, V., & Holland, S. (1999). *A cockpit display designed to enable limited flight deck separation responsibility*. Paper presented at the World Aviation Conference, Anaheim, CA.
- Johnson, W. W., Liao, M., & Tse, S. (1999). *The effect of symbology location and format on attentional deployment within a cockpit display of traffic information*. Paper presented at the Human Factors and Ergonomics Society 43rd Annual Meeting, Santa Monica, CA: HFES
- Kerns, K., & McFarland, A. L. (1998). *Conflict probe operational evaluation and benefits assessment* (MP 98W0000239). McLean, VA: MITRE-CAASD.
- Knecht, W., & Hancock, P. A. (1999). *Separation maintenance in high-stress free-flight usng a time-to-contact-based cockpit display of traffic information*. Proceedings if the Human Factors and Ergonomics Society 43rd Annual Meeting, Houston, TX. Santa Monica, CA: HFES
- Krishnan, K., Kertesz, J., S., & Wise, J. A. (2000). *Putting four dimensions in "perspective" for the pilot*. Proceedings of the IEA 2000/HFES 2000 Congress.
- Krois, P. (1999). *Alerting systems and how to address the lack of base rate information*. (Unpublished manuscript.). Washington, DC: FAA.
- Kuchar, J. K. (1996). Methodology for alerting-system performance evaluation. *Journal of Guidance, Control, and Dynamics*, 19(2), 438-444.
- Kuchar, J. K. (1998). *White paper on multiple independent alerting systems*. Cambridge, MA: MIT.
- Kuchar, J. K. (2001, March 27-29, 2001). *Managing uncertainty in decision-aiding and alerting system design*. Paper presented at the 6th CNS/ATM Conference, Taipei, Taiwan.
- Laudeman, I. V., Shelden, S. G., Branstrom, R., & Brasil, C. L. (1998). *Dynamic density: An air traffic management metric*. (No. NASA/TM-1998-112226). Moffett Field, CA: NASA Ames Research Center.
- Lewandowsky, S., Mundy, M., & Tan, G. P. A. (2000). The dynamics of trust: Comparing humans to automation. *Journal of Experimental Psychology: Applied*, 6(2), 104-123.
- Liao, M., & Johnson, W. W. (2001). *Effects of transformed visual-motor spatial mappings and droplines on 3-D target acquisition strategy and performance*. Proceedings if the Human Factors and Ergonomics Society 45th Annual Meeting, Santa Monica, CA: HFES.
- Livack, G. S., McDaniel, J. I., Battiste, V., & Johnson, W. W. (1999, April 12-15, 1999). *Human factors considerations in automatic dependent surveillance-broadcast (ADS-B) flight operations*. Paper presented at the ICAO Fourth Global Flight Safety and Human Factors Symposium, Santiago, Chile.
- Livack, G. S., McDaniel, J. I., Battiste, V., & Johnson, W. W. (1999). *The human element in automatic dependent surveillance-broadcast (ADS-B) flight operations*. Proceedings of ICAO's Fourth Global Flight Safety and Human Factors Symposium, Santa Monica, CA: HFES.
- Love, W. D. (1998). Preview of TCAS II version 7. *Air Traffic Control Quarterly*, 6(4), 231-247.
- Lubkowski, D. J. (1993). TCAS logic improvements. McLean, VA: MITRE Center for Advanced Aviation System Development.
- Magill, S. A. N. (1997). *Trajectory predictability and frequency of conflict-avoiding action*. Paper presented at the Proceedings of the CEAS Free Flight Conference.
- Mellone, V. J., & Frank, S. M. (1993). *Behavioral impact of TCAS II on the national air traffic control system*. Paper presented at the Seventh Internationa Symposium on Aviation Psychology, Columbus, OH: The Ohio State University.
- Miller, C. A., Williamson, T., Walsh, J. A., Nivert, L. J., & Anderson, J. L. (1994). Initiatives to improve TCAS-ATC compatibility. *Journal of Air Traffic Control*, 6-12.
- Mogford, R. H., Guttman, J. A., Morrow, S. L., & Kopardekar, P. (1995). *The complexity construct in air traffic control: A review and synthesis of the literature*. (No. DOT/FAA/CT-TN95/22.). Atlantic City, NJ: FAA.
- Mondolini, S., & Conway, S. (2001). *An airborne conflict resolution approach using a genetic algorithm* (AIAA 2001-4054): AIAA.
- Mouloua, M., & Koonce, J. M. (Eds.). (1997). *Human-automation interaction: Research and practice*.

- Mahwah, NJ: Lawrence Erlbaum.
- Paielli, R. A., & Erzberger, H. (1997). Conflict probability estimation for free flight. *Journal of Guidance, Control, and Dynamics*, 20(3), 588-596.
- Parasuraman, R., Hancock, P. A., & Olfainboba, O. (1997). Alarm effectiveness in driver-centered collision-warning systems. *Ergonomics*, 40(3), 390-399.
- Parasuraman, R., & Riley, V. (1997). Humans and automation: Use, misuse, disuse, abuse. *Human Factors*, 39(2), 230-253.
- Parasuraman, R., Sheridan, T. B., & Wickens, C. D. (2000). A model of types and levels of human interaction with automation. *IEEE Transactions on Systems, Man, and Cybernetics*, 30A(3), 286-297.
- Prandini, M., Hu, J., Lygeros, J., & Sastry, S. (2000). A probabilistic approach to aircraft conflict detection. *IEEE Transactions on Intelligent Transportation Systems*, 1, 199-220.
- Pritchett, A. R., & Hansman, R. J. (1996). *Experimental study of collision detection schema used by pilots during closely spaced parallel approaches* (ASL-96-1). Cambridge, MA: MIT.
- Pritchett, A. R. (2001). Reviewing the role of cockpit alerting systems. *Human Factors and Aerospace Safety*, 1(1), 5-38.
- RTCA. (1983). *TCAS 1 Functional Guidelines* (No. RTCA/DO-184). Washington, DC: RTCA.
- RTCA. (1992). *Minimum operational performance standards for airborne automatic dependent surveillance (ADS) equipment*. (No. RTCA/DO-212). Washington, DC: RTCA, Inc.
- RTCA. (1995). *Final Report of RTCA Task Force 3: Free Flight Implementation*. Washington, DC: RTCA, Inc.
- RTCA. (1998). *Guidance for implementation of cockpit display of traffic information* (No. RTCA/DO-243). Washington, DC: RTCA, Inc.
- RTCA. (1999). *Development and implementation planning guide for automatic dependent surveillance broadcast applications* (No. RTCA/DO-249). Washington, DC: RTCA, Inc.
- RTCA. (2000). *Application descriptions for initial cockpit display of traffic information (CDTI) applications* (No. RTCA/DO-259). Washington, DC: RTCA, Inc.
- RTCA. (2000). *Application of airborne conflict management: Detection, prevention, & resolution*. (No. RTCA/DO-263). Washington, DC: RTCA, Inc.
- RTCA. (2002). *Minimum aviation system performance standards for automatic dependent surveillance broadcast* (No. RTCA/DO-242A). Washington, DC: RTCA, Inc.
- Sarter, N. B., & Woods, D. D. (1992). Pilot interaction with cockpit automation: Operational experiences with the flight management system. *International Journal of Aviation Psychology*, 2(4), 303-321.
- Sarter, N. B., & Woods, D. D. (1995). How in the world did we ever get into that mode? Mode error and awareness in supervisory control. *Human Factors*, 37(1), 5-19.
- Satchell, P. (1993). *Cockpit monitoring and alerting systems*. Aldershot, England: Ashgate.
- Scallen, S. F., Smith, K., & Hancock, P. A. Influence of color cockpit displays of traffic information on pilot decision making in free flight.
- Scallen, S. F., Smith, K., & Hancock, P. A. (1996). *Pilot actions during traffic situations in a free-flight airspace structure*. Paper presented at the Proceedings of the Human Factors and Ergonomics Society 40th Annual Meeting.
- Sheridan, T. B., & Parasuraman, R. (2000). Human versus automation in responding to failures: An expected-value analysis. *Human Factors*, 42(3), 403-407.
- Smith, K., Briggs, A., Knecht, W., & Hancock, P. A. (1997). *Success and failure at self-separation in simulated free flight*. Proceedings of the Human Factors and Ergonomics Society 41st Annual Meeting. Santa Monica, CA: HFES.
- Smith, K., Scallen, S. F., Knecht, W., & Hancock, P. A. (1998). An index of dynamic density. *Human Factors*, 40(1), 69-78.
- Song, L., & Kuchar, J. K. (2001). *Modeling and analysis of conflicts between alerting systems*. Paper presented at the AIAA Guidance, Navigation, and Control Conference, Montreal, Canada.
- Song, L., & Kuchar, J. K. (2001, June 11-12, 2001). *Describing, predicting, and mitigating dissonance between alerting systems*. Paper presented at the Fourth International Workshop on Human Error, Safety, and Systems Development, Linköping, Sweden.
- Sorensen, J. A., Hollister, W., Burgess, M., & Davis, D. (1991). *Traffic Alert and Collision Avoidance system (TCAS)-Cockpit Display of Traffic Information (CDTI) investigation* (No. DOT/FAA/RD-91/8). Washington, DC: DOT/FAA.
- Sorkin, R. D., Kantowitz, B. H., & Kantowitz, S. C. (1988). Likelihood alarm displays. *Human Factors*,

- 30(4), 445-459.
- Sorkin, R. D. (1988). Why are people turning off our alarms? *Journal of the Acoustical Society of America*, 84, 1107-1108.
- Thomas, L. C., & Johnson, W. W. (2001). *Evaluation of CDTI dynamic predictor display technology*. Proceedings if the Human Factors and Ergonomics Society 45th Annual Meeting. Santa Monica, CA: HFES.
- Tillotson, D., & Gambarani, G. (1993). *Lessons learned during the traffic alert and collision avoidance system (TCAS) transition program* (No. DOT/FAA/RD-93/32). Washington, DC: FAA.
- Veitengruber, J. E., Bouceck, J., G. P., & Smith, W. D. (1977). *Aircraft alerting systems criteria study; Volume I: Collation and analysis of aircraft alerting data* (No. FAA-RD-76-222, I). Washington, DC: FAA.
- Vickers, T. K. (1992, March 1992). FAA's international TCAS symposium. *Journal of Air Traffic Control*, 14.
- Wickens, C. D., Mavor, M., & McGee, J. (1997). *Flight to the future: Human factors of air traffic control*. Washington, DC: National Academy of Science.
- Wickens, C. D., Mavor, M., Parasuraman, R., & McGee, J. (1998). *The future of air traffic control*. Washington, DC: National Academy of Science.
- Wickens, C. D. (1999). Automation in air traffic control: The human performance issues. In M. W. Scerbo & M. Mouloua (Eds.), *Automation technology and human performance: Current research and trends*. Mahwah, NJ: Erlbaum.
- Wickens, C. D. (2000). The trade-off of design for routine and unexpected performance. In M. R. Endsley & D. J. Garland (Eds.), *Situation awareness analysis and measurement* (pp. 211-225). Mahwah, NJ: Erlbaum.
- Wickens, C. D., Gempler, K., & Morphew, M. E. (2000). Workload and reliability of predictor displays in aircraft traffic avoidance. *Transportation Human Factors*, 2(2), 99-126.
- Wickens, C. D., Helleberg, J., & Xu, X. (2000). *Decision and workload implications of free flight and the cockpit display of traffic information (CDTI)*. Proceedings if the Human Factors and Ergonomics Society 44th Annual Meeting. Santa Monica, CA: HFES.
- Wickens, C. D., Helleberg, J., & Xu, X. (2000). *Decision and workload implications of free flight and the cockpit display of traffic information (CDTI)*. Proceedings of the IEA 2000/HFES 2000 Congress.
- Wiener, E. L., & Curry, R. E. (1980). Flight-deck automation: Promises and problems. *Ergonomics*, 23, 995-1011.
- Wing, D. J., Adams, R. J., Barmore, B. E., & Moses, D. (2001). *Airborne use of traffic information in a distributed air-ground traffic management concept: Experiment design and preliminary results*. Paper presented at the 4th USA/Europe Air Traffic Management R&D Seminar, Santa Fe, NM.
- Wing, D. J., Barmore, B. E., & Krishnamurthy, K. (2002, August 5-8, 2002). *Use of traffic intent information by autonomous aircraft in constrained operations*. Paper presented at the AIAA Guidance, Navigation, and Control Conference and Exhibit, Monterey, Ca.
- Wise, J. A., Hopkin, V. D., & Stager, P. (Eds.). (1993). *Verification and Validation of Complex Systems: Human Factors Issues*. Berlin: Springer-Verlag.
- Wise, J. A., Hopkin, V. D., & Garland, D. J. (Eds.). (1994). *Human factors certification of advanced aviation technologies*. Daytona Beach, FL: Embry-Riddle Aeronautical University Press.
- Wise, J. A., Hopkin, V. D., Stager, P., & Harwood, K. (1994). *Human factors certification of systems*. Paper presented at the Human Factors and Ergonomics Society 38th Annual Meeting, Nashville, TN.
- Wise, M. A., & Wise, J. A. (2000). The use of the systems approach to certify advanced aviation technologies. In J. A. Wise & V. D. Hopkin (Eds.), *Human Factors in Certification* (pp. 15-24). Mahwah, NJ: Lawrence Erlbaum.
- Wise, J. A., & Hopkin, V. D. (Eds.). (2000). *Human Factors in Certification*. Mahwah, NJ: Lawrence Erlbaum.
- Yang, L. C., & Kuchar, J. K. (1997). Prototype conflict alerting system for free flight. *Journal of Guidance, Control, and Dynamics*, 20(4), 768-773.
- Yang, L. C., & Kuchar, J. K. (1998). *Using intent information in probabilistic conflict analysis* (AIAA-98-4237): AIAA.
- Yang, L. C., & Kuchar, J. K. (2002). Performance metric alerting: A new design approach for complex alerting problems. *IEEE Transactions on Systems, Man, and Cybernetics*, 32A(1), 123-134.
- Zeitlin, A. D., & Bonnemaison, B. (2000, June 13-16, 2000). *Managing criticality of ASAS applications*.

Paper presented at the 3rd USA/Europe Ait Traffic Management R&D Seminar, Napoli, Italy.